

भारत का राजदूतावास EMBASSY OF INDIA

545-547, मर्चेण्ट स्ट्रीट / Merchant Street, पोस्ट बॉक्स सं / Post Box No 751 यांगोन म्यनमार / Yangon, Myanmar

दूरभाष / Tel : (951) 391219, 243972, 388412 फैक्स / Fax: (951) 254086, 250164, 388414

Website: https://www.embassyofindiayangon.gov.in

No. 0204/NA

14 JULY, 2025

Notice Inviting Tender

Subject: FACILITY SUPPORT INFRASTRUCTURE

The Embassy of India, Yangon invites Technical and Financial Bids from authorised dealers / contractors, reputed, experienced and financially sound companies, firms ("The Vendor") for setting up facility support infrastructure.

- 2. The representatives of interested vendors may submit their proposals / rate quotations.
- 3. Tender documents can be downloaded from the Embassy's website: https://embassyofindiayangon.gov.in/ CPP Portal: www.eprocure.gov.in. Details can also be collected from Attache (Administration), Tel +95-1-251206 or admn.yangon@mea.gov.in.

Date of publishing NIT : 14.07.2025

Last date of submission of Tender : 04.08.2025 (1500 Hrs)
Opening of Technical Bid : 05.08.2025 (1500 Hrs)
Opening of Financial Bid : 05.08.2025 (1500 Hrs)

- 4. Technical and Financial Bid must be submitted separately in a sealed envelope clearly superscribed "TECHNICAL BID FOR FACILITY SUPPORT INFRASTRUCTURE" and "FINANCIAL BID FOR FACILITY SUPPORT INFRASTRUCTRE" along with all relevant documents to the "Head of Chancery, Embassy of India, 545-547, Merchant Street, Yangon, Myanmar". Financial Bid submitted in a separate sealed envelope would be opened in respect of only those Bidders, whose Technical Bids have been found meeting the required specifications at the Technical Bid evaluation stage. A bid sent through Fax or e-mail will not be accepted.
- 5. For any queries/ clarifications, e-mail may be sent to: hoc.yangon@mea.gov.in.
 /admn.yangon@mea.gov.in.
- 6. Earnest Money Deposit (EMD):
 - (i) Each Technical Bid shall be accompanied by an Earnest Money Deposit (EMD) of USD 1000 (US Dollar One Thousand only) in the form of a Bank Guarantee (BG) drawn on any Bank in favour of Embassy of India, Yangon or in cash deposited to Embassy.
 - (ii) The Bank Guarantee should be valid for a minimum period of 180 days.
 - (iii) The BG should be payable at Yangon only.
 - (iv) EMD must be attached with Technical Bid only, without which the bid shall stand rejected.

- (v) Earnest money will be forfeited:
 - (aa) If the bidder withdraws his bid during the period of bid validity.
 - (ab) In case of the successful bidder, if the bidder fails to sign the contract.
- (vi) Refund of Earnest Money Deposit (EMD):
 - (aa) Refund of EMD to the unsuccessful bidders shall be made after signing of the contract with successful bidder.
 - (ab) EMD of successful bidder shall be refunded after award of the contract and deposit of Performance Security @ 5% of the total contract value. Successful bidder will deposit Performance Security within 5 working days of award of contract. The Performance Security should be valid upto 60 days beyond the contract period. After successful completion of all contractual obligations, the Performance Security (without any interest) shall be refunded within 30 days.
- 7. The successful bidder shall be obliged to deposit an amount equivalent to 5% of the value of the contract to be awarded as performance guarantee. The performance guarantee shall remain valid for a period of 60 days beyond the completion of all contractual obligations of the bidder. The bid security shall be refunded to the successful bidder on the receipt of the performance guarantee.
- 8. The Embassy of India, Yangon reserves the right to reject any or all the bids without assigning any reason. The decision of the Embassy shall be final and binding.
- 9. The bidder or his authorised representative, who wish to be present, may attend the bid opening on the date and time specified.
- 10. The work shall be offered to the lowest bidding party.

(Ashok Kumar) Head of Chancery Embassy of India, Yangon

Letter for Submission of tender

| Dated | ,2025 |
|----------|-------|
| L core w | , |

To

Head of Chancery, Embassy of India, 545-547, Merchant Street, Yangon, Myanmar

Ref: FACILITY SUPPORT INFRASTRUCTURE

Dear Sir,

Having examined the tender document relating to setting up Facility Support Infrastructure at Yangon, we hereby submit our offer for the supply of the proposed items in accordance with terms and conditions and confirm our acceptance to execute the order within the time period specified in the tender document, at the rates quoted by us in the accompanying Technical & Financial Bid.

We further confirm that: -

- (a) We have successfully executed orders of similar nature and we have sufficient experience and financial strength in handling orders of this value.
- (b) We have sufficient qualified manpower and necessary materials and after sales support to execute the order efficiently in the specified time schedule.
- (c) The quoted rates shall be valid not less than 180 days from the date of opening of quotation.
- (d) We further confirm that all chapters of the tender documents have been read, understood and signed and there is no deviation/discrepancy.
- (e) We agree to accept the extension order up to 100% quantity within three months of the issue of the order.

Signature of the Bidder With stamp and date

No.0204/NA JULY, 2025

GENERAL

- 1.1 The Facility Support Infrastructure shall be set up at desired location in Yangon. The vendor shall study the specifications and satisfy himself thoroughly and shall take full responsibility of the smooth, reliable and safe working. Transportation charges and other incidentals in respect of technician(s), if any, for final installation may be included in the bid. Technical and Financial Bids must be submitted separately in a sealed envelope clearly superscribed "TECHNICAL BID FOR FACILITY SUPPORT INFRASTRUCTURE" and "FINANCIAL BID FOR FACILITY SUPPORT INFRASTRUCTURE" along with all relevant documents to the "Head of Chancery, Embassy of India, 545-547, Merchant Street, Yangon, Myanmar". Financial Bid submitted in a separate sealed envelope would be opened in respect of only those Bidders, whose Technical Bids have been found meeting the required specifications at the Technical Bid evaluation stage. A bid sent through Fax or e-mail will not be acceptable in the quotation.
- 1.2 All items of instrument shall be completed in all respects and any instrument not covered in the specification but essential for proper installation, operation and maintenance of the instrument shall be included by the vendor in his offer and the reasons for such inclusion shall be clearly stated.

SCOPE OF WORK

- 2.1 The scope of work includes setting up of Facility Support Infrastructure in accordance with the design & specifications given in "ANNEXURE I TECHNICAL BID; A. TECHNICAL SPECIFICATIONS FACILITY SUPPORT INFRASTRUCTURE".
- **2.2** Supply of equipment.
- **2.3** Packaging, forwarding, transport, insurance, loading, unloading, precaution against damage during transit etc.
- 2.4 Installation, testing and Commissioning of complete system
- 2.5 Warranty for one year or OEM Warranty, whichever is longer.
- 2.6 Operation and maintenance manuals of electronics.

SAFETY

- 3.1 All equipment items shall be complete with approved safety devices, wherever a potential hazard to personnel exists, and with provision for safe access to personnel to and around the instrument for operational and maintenance functions.
- **<u>Time for Completion.</u>** The vendor shall complete setting up of Facility Support Infrastructure within three months of placing the Purchase Order or the timeline specified by the Embassy.

TEST AND INSPECTION

4.1 Inspection of the equipment will be done at the site.

- **4.2** The vendor shall demonstrate all the features of the equipment mentioned in the technical specification.
- **4.3** The vendor is solely responsible for installation and making the complete system operational at user's site.

OPERATION CONDITIONS

- 5.1 All equipment shall be designed for smooth, efficient and trouble-free operation in tropical humid climate of (-)10° C to (+)65° C ambient and a humidity of 90% to 150%.
- 5.2 In cases where the offer deviates from the specification, the vendor shall indicate clearly in his offer the specification proposed by him along with details thereof and the reasons for the deviation. Each exception to the specification or other parts of the tender document shall be listed separately by the vendor. If exceptions are not clearly listed they will not be considered by the Purchaser later.

DOCUMENTS

6.1 The vendor shall supply the hard and soft copy of Operation and Maintenance manual in duplicate of all electronic equipment supplied as part. All necessary literature giving complete technical details shall be provided.

INSTALLATION, TESTING & COMMISSIONING

- 7.1 It is to be noted again that supply of all accessories (not included in the specification but essential for proper installation, operation and maintenance of the Facility Support Infrastructure shall be included and executed by the vendor.
- 7.2 The supply will not be deemed complete until testing and commissioning is carried out by the vendor at the site successfully.

PERFORMANCE AND GUARANTEE (P. G.)

8.1 All necessary tests shall be carried out at the site by the vendor to demonstrate whether performance of the instrument conforms to the relevant standards and specifications and meets the functional requirement indicated in the specification.

WARRANTY

- **9.1** The warranty period for the equipment will commence from the date of commissioning of system at user's site and not from the date of delivery or installation.
- **9.2** The vendor shall provide warranty for the complete equipment for a minimum period of one year from the date of commissioning or for the duration of OEM warranty period whichever is longer.
- 9.3 The time period for product warranty will be the same as the service warranty.
- **9.4** The vendor shall be responsible for routine and breakdown maintenance of the equipment during warranty period.

SERVICE AGREEMENT

10.1 The selected vendor shall have to sign a Non-Disclosure Agreement (NDA) on the service to be provided.

PAYMENT TERMS

11.1 The payment will be released in full only after receipt, satisfactory installation and testing of the equipment in question and in good condition at the site.

CAPABILITY AND EXPERIENCE

The vendor shall have executed similar kind of work within last three years. The vendor shall submit along the offer the reference list of the similar work. Offers received without the reference list may be rejected.

QUOTATION

- 13.1 Interested vendors should submit Technical Bid and Financial Bid separately in a sealed envelope clearly superscribed "TECHNICAL BID FOR FACILITY SUPPORT INFRASTRUCTURE" and "FINANCIAL BID FOR FACILITY SUPPORT INFRASTRUCTURE" along with all relevant documents within the specified date and time. A bid sent through Fax or e-mail will not be accepted.
- 13.2 Vendor can submit quotation in US Dollars. The total rate quoted shall be inclusive of Tax.

CONDITIONS OF SUPPLY ORDER/CONTRACT

- 14.1 Force Majeure Clause. Each party's obligation under the supply order/ contract which would be signed with successful bidder, shall be suspended upon concurrence of a force majeure event such as act of God, flood, earthquake, fire, explosion, act of government, war, civil commotion, insurrection, embargo, riots, lockouts, labour disputes affecting such party, for such period as such force majeure event may subsist. Upon the occurrence of as force majeure event, the affected party shall notify the non-affected Party in writing of the same and shall by subsequent written notice after the cessation of such force majeure event inform the non-affected Party of the date on which that Party's obligation under the supply order/ contract shall be reinstated. Notwithstanding anything in the clause, upon occurrence of a force majeure event affecting any Party and where such force majeure event continues for a period exceeding one month, the non-affected Party shall have an option, in its sole discretion, to terminate the supply order/ contract by sending a written notice to the affected Party stating the non-affected Party's intention to terminate the Agreement. Such termination shall take effect immediately upon the affected Party's receipt of such written notice.
- **14.2 Liquidated Damages**. In the event of the seller's failure to submit the guarantees, documents, supply of goods, conduct of trials, installation of equipment, training etc. as specified in the supply order/ submitted quotation, the buyer may, at his discretion, withhold any payment until the completion of supply order. The buyer may also deduct from the seller as agreed, liquidated damages to the sum of 0.5% of the supply order price of the delayed/ undelivered goods/ services mentioned above for every week of delay, subject to maximum value of liquidated damages being not higher than 10% of the actual amount.

14.3 <u>Non-Disclosure of Supply Order Documents</u>. Except with the written consent of the buyer/ seller, other party shall not disclose the Supply Order or any provision, specifications, plan, design, pattern, sample or information thereof to the third party.

CLARIFICATIONS

15.1 For any clarification, the vendor may contact the Embassy by e-mail (hoc.yangon@mea.gov.in / admn.yangon@mea.gov.in) and Tel: 95-1-391219 and Fax: 95-1-254086.

LAST DATE OF RECEIPT OF TENDER

16.1 Tender will not be accepted if they are received after the due date and time as specified in the quotations letter i.e. on 04 August, 2025.

OPENING DATE OF TENDER

17.1 The technical bid will be opened on 05 August, 2025 and financial bid on 05 August, 2025 at Embassy of India. The Technical Bids (Annexure I) will first be evaluated and only vendors who qualified in the Technical Bids will only be considered for further evaluation of Financial Bids (Annexure II).

EMBASSY OF INDIA, YANGON RESERVE THE RIGHT

18.1 The right of acceptance of tender(s) will rest with Competent Authority. Also, the Embassy is not bound to accept the lowest tender and reserves the right to reject or partially accept any or all the tender(s) received without assigning any reasons thereof.

government, with commonon, indirection, emburgo, tion, lockment, labour disputes affecting that party, for such period as such fleve empoire event unity suches

which that Furth's obligation under the supply order contract that for emissions event. Seawith the classes, upon occurrence of a finete majoure event electron only Party and White such fines stagents event continues for a period

starting the non-affected Party's intention to terminable the Agriconaut. Such termination shall rate effect incomplately significant the affected Party's receipt of each vertice extremely

14.1 Liquidated Damages In the event of the seiter's finland to submit the guarantees, documents, temply of greek, condens of trials, installation of equippings, resisting one as specified to the rapply order intentioned quotation, the buyer may, of his discretion, withhold any payment until the completion of surply order. The buyer may

every week of delay, and jest to meximum value of liquidated damages being the higher

TECHNICAL BID Annexure I

A. TECHNICAL SPECIFICATIONS FACILITY SUPPORT INFRASTRUCTURE

| Ser | <u>Items</u> | Description |
|-----|------------------------------|---|
| Mul | tifunction Operator Consoles | |
| 1. | Operator Consoles (55 Nos) | Material: Wood/ Blockboard (17 mm or above) Box structure design for CPU, Keyboard, mouse and monitor (02/03 displays) Inbuilt 02 Power supply (Power Supply 220V±10%, 50 Hz AC) and 01 LAN connection ports of standard rating. Dimensions as per site requirement. |
| 2. | Chairs (76 nos) | PP Plastic frame with wheels and electroplated footing 3600 revolving Adjustable height 80 -100 mm push back tilting PU mold seat and fabric upholstered armrest |
| 3. | Status Board I (27 nos) | Dimensions - 36"X36" Wall Mount Type with concealed brackets Aluminum Frame with glass (anti-glare and toughened with minimum 4mm thickness) Custom printed grids and texts with UV resistant ink on glass as per requirement |
| 4. | Status Board II (27 nos) | Dimensions - 36"X36" Wall Mount Type with concealed brackets Aluminum Frame with glass (anti-glare and toughened with minimum 4mm thickness) Custom printed grids and texts with UV resistant ink on glass as per requirement |
| 5. | Drawing Table (23 nos) | Material: Wood/ Blockboard (17 mm or above) with PLPB top. Additional glass top - anti-glare and toughened glass with minimum 5mm thickness) Customized chart holding (under the glass top) mechanism Dimensions – 42"X30"X30" Drawers as per site requirement. |
| 6. | Name signs (20 nos) | • Custom printed on acrylic plates (minimum 6") |
| LAN | N Network | |
| 7. | LAN Ports (70 nos) | Across two storey building 1200m CAT 6 cable or as required for laying the network. |
| 8. | 26 Port LAN distribution Box | Accessories as required With wall mounted housing of standard rating |
| | nmunication Desk | with wall inculted housing of standard rating |
| 9. | Desk (23 nos) | • Material: Wood/ Blockboard (17 mm or above) with PLPB top. |

| Ser | <u>Items</u> | Description | | |
|------|--|---|--|--|
| | | Dimensions – 36"X24"X30" | | |
| | | • Box structure design for CPU, Keyboard, | | |
| | TORIZ METER THORNESS | mouse and monitor. | | |
| | A STATE OF THE PARTY OF A STATE OF THE PARTY | • Inbuilt 04 Power supply (Power Supply | | |
| | | 220V±10%, 50 Hz AC) and 01 LAN | | |
| | Description | connection ports of standard rating. | | |
| 10. | Nama signs (20 nas) | • Custom printed on acrylic plates (minimum | | |
| | Name signs (20 nos) | 6") | | |
| Brie | efing Room | | | |
| | The state of the s | Material – Steel with cushions | | |
| | The state of the s | • Color – Silver | | |
| 11. | 5-Seater Benches (08 nos) | • Frame – Steel with chrome coating | | |
| | THE SHIP OF THE SHIP | • Dimensions (approx.) – 230X60x30 cm | | |
| | | • Rated for 150 kg or more weight per seat | | |
| | The state of the s | • LED type with brightness 4000 lumens | | |
| | THE PERSON NAMED IN COLUMN TWO | (minimum) | | |
| | ditatori belalgo | Minimum full HD | | |
| | univiluem 000 | Motorized zoom and focus | | |
| | Migrad alderents | • Support for HDMI/ VGA/ 3.5mmaudio. | | |
| 10 | Projector | USB/ LAN connections | | |
| 12. | | • Lamp life ≥15000 hrs | | |
| | incercione 36°X36° | • <32 dB noise level | | |
| | Married Mercel Type with concented | Ceiling Mount Kit (adjustable type) | | |
| | (iii) state they never I entered the | HDMI cable minimum 05m | | |
| | citis much mention data hands | Power cable minimum 05m | | |
| | the bar sheet Austral territory | • Power Supply 220V±10%, 50 Hz AC | | |
| | | | | |
| | | Size – minimum 110" (16:9 aspect ratio) Matte White material | | |
| | Olizaneta eliter succi face del una | | | |
| 13. | Projector Screen | Housing – Aluminum; ceiling/ wal | | |
| | ist can be supplied to the land | mountable | | |
| | Cit Lim about Kitalian | Remote controlled roll in-out function | | |
| | | • Power Supply 220V±10%, 50 Hz AC | | |
| 14. | Reading table with 04 Chairs (03 set) | Material – Wood with PLPB coating | | |
| 15. | Pools Shalvag (02) | • Material - Wood with PLPB coating and | | |
| 13. | Book Shelves (02) | glass doors | | |
| | The second state of the second | Material – Wood with PLPB coating | | |
| | and the second states are liveriles of | • With inbuilt arrangement for mic and | | |
| 16. | D- 1: (01) | reading lights | | |
| 10. | Podium (01) | • Glass top with housing for display, keyboard | | |
| | | and mouse | | |
| | of thirty he believe making | Drawers | | |
| | | • Custom printed on acrylic plates (minimum | | |
| 17. | Name signs (20 nos) | 6") | | |
| Serv | | | | |
| 18. | Installation of items | As per design | | |
| 19. | Testing and Commissioning of equipment | As per design parameters | | |
| 20. | Warranty | • One year or OEM warranty whichever is longer | | |

B. MATRIX FOR TECHNICAL SPECIFICATIONS

| <u>Ser</u> | Characteristic | <u>Description</u> | Whether the Company would be able to provide the given Specifications, and Quantity (Yes/ No) | If not, the nearest Specificati on s that the Company can provide | Remark s |
|------------|----------------------------------|--|--|--|-------------|
| (1) | (2) | (3) | (4) | (5) | (6) |
| Mult | tifunction Operato | r Consoles | | | |
| 1. | Operator Consoles (55 Nos) | Material: Wood/ Blockboard (17 mm or above) Box structure design for CPU, Keyboard, mouse and monitor (02/03 displays) Inbuilt 02 Power supply (Power Supply 220V±10%, 50 Hz AC) and 01 LAN connection ports of standard rating. Dimensions as per site requirement. | The state of the s | Front MA. (ease I see 35 to 15 months because the see 15 months becaus | |
| 2. | Chairs (76 nos) | PP Plastic frame with wheels and electroplated footing 3600 revolving Adjustable height 80 -100 mm push back tilting PU mold seat and fabric upholstered armrest | | We must g | |
| 3. | Status Board I (27 nos) | Dimensions - 36"X36" Wall Mount Type with concealed brackets Aluminum Frame with glass (anti-glare and toughened with minimum 4mm thickness) Custom printed grids and texts with UV resistant ink on glass as per requirement | Britiso garkers Soyges Soyges Soyges Solding | out TO) | |
| 4. | Status Board II (27 nos) | Dimensions - 36"X36" Wall Mount Type with concealed brackets | | | |
| 5. | Drawing Table (23 nos) | Material: Wood/ Blockboard (17 mm or above) with PLPB top. Additional glass top - antiglare and toughened glass with minimum 5mm thickness) Customized chart holding (under the glass top) mechanism Dimensions - 42"X30"X30" Drawers as per site requirement. | | | |
| 6. | Name signs (20 nos) | Custom printed on acrylic plates (minimum 6") | | | |

| Ser | Characteristic | Description | Whether the Company would be able to provide the given Specifications and Quantity (Yes/ No) | If not, the nearest Specificati on s that the Company can provide | Remark s |
|-------|---------------------------|--|---|---|-------------|
| (1) | (2) | (3) | (4) | (5) | (6) |
| LAN | Network | | | | |
| 7. | nos) | Across two storey building 1200m CAT 6 cable or as required for laying the network. Accessories as required | California de la compansión de la compan | (E) (another Ore | |
| 8. | distribution Box | With wall mounted housing of standard rating | | | |
| Com | munication Desk | | | | |
| 9. | Desk (23 nos) | Material: Wood/ Blockboard (17 mm or above) with PLPB top. Dimensions – 36"X24"X30" Box structure design for CPU, Keyboard, mouse and monitor. Inbuilt 04 Power supply (Power Supply 220V±10%, 50 Hz AC) and 01 LAN connection ports of standard rating. | (Polocy Sin (Polocy Sin 144 AC) as (Sure of spin (Sure of | ANAP | |
| 10. | Name signs (20 nos) | • Custom printed on acrylic plates (minimum 6") | Build a Les | 4t) enuity | |
| Brief | ing Room | | | | |
| 11. | 5-Seater Benches (08 nos) | Material – Steel with cushions Color – Silver Frame – Steel with chrome coating Dimensions (approx.) – 230X60x30 cm Rated for 150 kg or more weight per seat | Section of the sectio | I man 153. | |
| 12. | Projector | LED type with brightness 4000 lumens (minimum) Minimum full HD Motorized zoom and focus Support for HDMI/ VGA/ 3.5mmaudio/ USB/ LAN connections Lamp life ≥15000 hrs ≤32 dB noise level Ceiling Mount Kit (adjustable type) HDMI cable minimum 05m Power cable minimum 05m Power Supply 220V±10%, 50 Hz AC | | | |
| * | | Attitud harb technical milantama (geraesh sab a "OLE WIGHTS) sabinasa aliyan an asa ta ta asa | (unit) d = vint) | mag g | |

| Ser | <u>Characteristic</u> | <u>Description</u> | Whether the Company would be able to provide the given Specifications and Quantity (Yes/ No) | If not, the nearest Specificati on s that the Company can provide | Remark s |
|------|--|--|---|--|-------------|
| (1) | (2) | (3) | (4) | (5) | (6) |
| 13. | Projector Screen | Size – minimum 110" (16:9 aspect ratio) Matte White material Housing – Aluminum; ceiling/wall mountable Remote controlled roll in-out function Power Supply 220V±10%, 50 Hz AC | | | |
| 14. | Reading table with 04 Chairs (03 set) | Material – Wood with PLPB coating | | | |
| 15. | Book Shelves (02) | • Material – Wood with PLPB coating and glass doors | | | |
| 16. | Podium (01) | Material – Wood with PLPB coating With inbuilt arrangement for mic and reading lights Glass top with housing for display, keyboard and mouse Drawers | | | |
| 17. | Name signs (20 nos) | • Custom printed on acrylic plates (minimum 6") | | | |
| Serv | ices | | | | |
| 18. | Installation of items | As per design | | | |
| 19. | Testing and Commissioning of equipment | As per design parameters | | | |
| 20. | Warranty | One year or OEM warranty whichever is longer | | 4 | - |

"UNDERTAKING"

| It is hereby certified that M/s | (1 | Name of the |
|---|--------------|---------------|
| Company) is capable of providing and undertakes to provide a | bove "Specif | fications and |
| Quantity" at the time of setting up of Facility Support Infrastructure. | | |

(Seal & Signature of the authorised Company Representative) Name & Address:

C. GENERAL INFORMATION

| 1 | Name and Address of the Bidder |
|----|---|
| 2 | Contacts |
| 3 | Telephones |
| 4 | Mobile no. |
| 5 | Fax |
| 6 | E-mail |
| 7 | Category of the Bidder (Whether company, partnership firm or Proprietary concern) |
| 8 | Name of Chief Executive Officer and Telephone no. |
| 9 | Year of Establishment |
| 10 | Name and address of the Banker |
| 11 | List of major Clients and the size of orders executed |

Note: Separate sheets may be attached wherever necessary.

(Seal & Signature of the authorised Company Representative) Name & Address

FINANCIAL BID Annexure II

A. MATRIX FOR FINANCIAL BID

| Ser | <u>Item</u> | Price Per Unit (USD) | Total Price (USD) | Remarks (if any) |
|------|--|----------------------|-------------------|---------------------|
| (1) | (2) | (3) | (4) | (5) |
| Mul | tifunction Operator Consoles | | | |
| 1. | Operator Consoles (55 Nos) | | | |
| 2. | Chairs (76 nos) | | | |
| 3. | Status Board I (27 nos) | | | |
| 4. | Status Board II (27 nos) | | | |
| 5. | Drawing Table (23 nos) | | | |
| 6. | Name signs (20 nos) | | | |
| LAN | Network | | | |
| 7. | LAN Ports (70 nos) | | | |
| 8. | 26 Port LAN distribution Box | | | |
| Com | munication Desk | | | |
| 9. | Desk (23 nos) | | | |
| 10. | Name signs (23 nos) | | | |
| Brie | fing Room | 1 | | |
| 11. | 5-Seater Benches (08 nos) | | | |
| 12. | Projector | | | |
| 13. | Projector Screen | | | |
| 14. | Reading table with 04 Chairs (03 set) | | | |
| 15. | Book Shelves (02) | | | |
| 16. | Podium (01) | | | |
| 17. | Name signs (20 nos) | | | |
| Serv | | | | |
| 18. | Installation of items | | - | |
| 19. | Testing and Commissioning of equipment | | | |
| 20. | Warranty | | 4 4 | 1 |

Note:

- 1. The Financial Bid shall not include any conditions attached to it and any such conditional financial proposal shall be rejected summarily.
- 2. The total quoted price should include all travel cost, shipping charges and other administrative cost, if any, that may be incurred by the vendor as part of this project.
- 3. The total cost for each item should be clearly mentioned. Price quoted only on rate per unit basis will not be accepted.
- 4. Separate sheets may be attached wherever necessary.